



An awning family **with the best standing.**

Pergola Awnings and Awning Systems for Patio and Balcony

**markilux**  
The best under the sun



Full details  
can be found at [markilux.com](https://markilux.com)

# The sun smiles down on an awning. Life smiles on you under a markilux.

## Outdoor living

Hours of relaxation and recuperation or valuable time well spent with your family and friends – these are the precious moments in which you cherish your outdoor lifestyle. Designer awnings from markilux not only provide shade, they open up new opportunities for enjoying life. They provide protection on hot days and make for a cosy ambience long after the sun has set. In choosing a markilux designer awning, you are opting for the very best quality “Made in Germany” – and for endless hours of light-hearted fun outdoors.

markilux designer awnings have received a multitude of awards:



reddot winner 2024


| Brand

| e.g. markilux pergola style

# Reduced to the essence: Free. Time.

## Premium quality made in Germany.

For over 50 years, markilux has been developing and manufacturing top-quality solar protection solutions. markilux designer awnings are characterised by their first-rate, multi-award-winning design and innovative technology. The production of awning and cover under one roof is the essence of what markilux “Made in Germany” represents, with the aim of making an al fresco lifestyle comfortable, convenient and enjoyable. With markilux, you can turn your favourite spot outdoors into something extra special. **The best under the sun. Create the most alluring shade in the world.**




### markilux quality

The best possible materials and a comprehensive quality management system ensure that every markilux designer awning has a long service life. As a company, markilux is certified in accordance with EN ISO 9001 standards.



### markilux functionality

markilux combines innovative technologies and smart solutions to create high-end products. A multitude of accessories and operating options make it possible to individualise your markilux designer awning in line with your own personal wishes.





**markilux**

#### **markilux service**

The combination of a brand product with competent advice and professional installation on site makes your solution perfect. Qualified markilux specialist dealers offer a comprehensive service and are the personal contact in your vicinity.

Member of  **Rat für Formgebung**  
German Design Council



#### **markilux design**

It is the perfect combination of form and function that turns an awning into a markilux designer awning. In this respect, markilux relies on its long-standing experience in R&D and design.

## Fantastic ambience. An overview.



MX pergola stretch

Page 10



MX pergola style

Page 12



MX pergola classic

Page 16



MX pergola cubic

Page 18

### Pergola Awnings

Large-format sun and weather protection resistant to wind with a variety of atmospheric lighting options. The cover is extended via lateral guide tracks.



MX pergola compact

Page 20



MX\_-markant

Page 26



MX\_-syncra

Page 28



MX\_-planet

Page 30



MX\_-format

Page 34



MX\_-790


Page 36

## Awning Systems

Frame systems with awnings to your own exact specifications.  
Free-standing in the garden or attached to a building, which for structural reasons does not permit the installation of an awning.

## Wind protection / extra privacy

Lateral protection by markilux against the sun, light wind and prying eyes.



A family with the best standing.  
Pergola DNA inside.



Outdoor areas become favourite spots to relax.  
Find your solar protection solution at [markilux.com](https://markilux.com)

markilux



Pergola Awnings



#### Slender appearance

Design reduced to the essence.  
The cover safely tucked away.



#### Well thought through

Water drainage from the cover via the integral gutter and support posts is assured from a very low pitch of only 5°.



#### Attractive protection majestically full of fresh air

A waterproof awning cover leaves you perfectly prepared for a comfortable and relaxed season – al fresco. Allow your markilux specialist dealer to give you professional advice.

# mx\_ pergola stretch

## Many. Fold. Superbly in shape.

### markilux pergola stretch

The markilux pergola stretch offers an impressive take on sun and wet weather protection. The cover is perfectly integrated into the minimalistic, high value awning system. The rhythmical, space-saving cover folding technology makes it possible to shade large areas and creates a special and impressive atmosphere. The abundance of optional extras means that the markilux pergola stretch can show itself from its most attractive side.



**Pergola awning**  
maximum 700 × 700 cm

**Options**  
coloured lighting (RGB-WW),  
LED-Line cover support profiles,  
LED-Line / LED-Spots cross-beam,  
vertical cassette blinds,  
wind protection / extra privacy,  
cross-beam,  
coupled awning



### Truly immense and with impressive prospects

Versatile implementation in varying weather conditions. The LED lighting (RGB-WW), heaters and lateral protection options allow the atmosphere to be adapted as the situation requires.

#### Pergola awning

maximum 600 × 500 cm

maximum 500 × 600 cm

#### Options

coloured lighting (RGB-WW),

LED-Line posts/cassette/guide tracks,

LED-Line/LED-Uplights footplate covers,

shadeplus,

wind protection/extra privacy,

telescopic posts,

ballast boxes,

coupled awning



reddot winner 2024

#### Big in shade solar protection for those big moments in life

Would you like to shade wide patios perfectly in a stylish manner? Several pergola awnings coupled together provide plenty of protection and enjoyment whatever the occasion.

## Minimalism in mind. Simply big in shade.

### Heart-warming. Cool.

The pergola awning for lovers of clean lines and straightforward elegance with plenty of convenience. The resolutely angular design of the pergola style is in very clear focus, lending, as it does, this solar protection system a sense of modern lightness. The purist design presents itself in its best light in the evening. The perfectly integrated LED lighting transforms the patio area into the individual lighting mood you desire. Resolute, heart-warming, cool – by day and night: the markilux pergola style.



### markilux shadeplus

This vertical solar shading is perfectly integrated into the front profile and can be retracted and extended manually or via solar power by remote control or app as required.



### Awning cover beautifully protected

The slim-line full cassette with a minimalistic design, 205 × 160 mm, offers maximum protection for the awning cover.

## mx\_pergola style Lighting options



“Cool evening ambience” for an unforgettable al fresco experience.



“Welcome to Miami” and we’re ready for the next party.



“Caribbean feeling” for that short holiday on the patio.



## Outdoor Living 24/7

### Cool for hot nights

The markilux pergola style is a feast for the eyes even in daylight. But, when illuminated, the pergola is transformed into a truly brightly lit entity, underlining its purist design and bathing the patio in your very own feel-good atmosphere. Each lighting scenario can be configured easily and individually with the app. But beware! You may find that your evenings end up lasting a little longer than you had intended. markilux pergola style: outdoor living 24/7.

### Smart LED lighting options

Individually configure the LED-Line in the cassette and in the guide tracks, in the posts and the footplate covers as well as LED-Uplights in the footplate covers and control them effortlessly via the app. Lighting options in the support post area are only available with rigid post design.



Magical worlds full of atmosphere  
Outdoor living in a new light.  
And colour. Explore your options  
now at [markilux.com](https://www.markilux.com)

### Pergola awning


maximum 600 × 450 cm

maximum 500 × 600 cm



### Options

coloured lighting (RGB-WW),  
LED-Line guide tracks,  
shadeplus,  
wind protection / extra privacy,  
round / square posts,  
telescopic posts,  
ballast boxes,  
coupled awning



### You have the choice

Discover the range of options under “Options”  
at the end of this section and in your markilux  
specialist dealer’s showroom.



### markilux shadeplus

The additional vertical blind integrated in the front profile simply  
blocks out low-lying sun and the glances of inquisitive neighbours.

### Coupled pergola awnings

For all those who want even more shade: up to five  
single pergola awnings can be joined side by side.

For all those, who have grandiose plans even if it is wet and windy.

#### markilux pergola classic

When it comes to solar and weather protection, the markilux pergola classic is a great choice. The pergola awning on slender posts and with lateral guide tracks provides generous shading with an extension of up to 6 metres. At the same time, the round markilux pergola classic defies wind and weather up to wind force 6 (wind resistance class 3). You have every opportunity to make your favourite outdoor place your very own with the markilux shadeplus as well as with a multitude of lighting options and different post shapes. No matter how strong the sun shines or the wind blows, with your markilux pergola classic you can enjoy life outdoors at any time.



#### Fantastic views even in bad weather

When the pergola awning is retracted, there is no glass roof construction obscuring the sky and the view to the outside remains unobstructed.



#### Closed full cassette

The cover disappears completely inside the round cassette, Ø 187 mm, and is ideally protected. The only thing that is more impressive than the look itself is the fact that the technology works perfectly.



#### markilux tracfix

One of many markilux refinements: the lateral cover guidance system that leaves no gap between the cover and the guide track. Gives an overall better appearance and improves wind stability.

#### Pergola awning

maximum 600 × 450 cm

maximum 500 × 600 cm

#### Options

coloured lighting (RGB-WW),  
LED-Line cassette / guide tracks,  
shadeplus,  
wind protection / extra privacy,  
round / square posts,  
telescopic posts,  
ballast boxes,  
coupled awning



#### Wonderful, functional and reliable

Regardless of whatever style you prefer – in the personal combination of awning cover and technology you are bound to find precisely the markilux pergola cubic that fulfils your requirements perfectly.

## Essentially square. Practically superb.

### markilux pergola cubic

The design of the new markilux pergola cubic was developed entirely in the spirit of the Dessau Bauhaus philosophy. Functional, clear and timeless contouring on the basis of cubist simplification. In addition to the proven solar protection benefits offered by the pergola, this model integrates itself harmoniously and impressively into today's modern architecture and makes a big impression – not only with its high-quality workmanship.



### Reduced design language

The angular cassette, 200 × 160 mm, offers room for large-scale solar protection up to 600 × 450 cm or 500 × 600 cm, and as a coupled awning a whole lot more.



### markilux shadeplus

More shade and protection – even when the sun is low in the sky. Optionally solar driven using markilux sundrive.

### The pinnacle of quality and convenience

Extras for more shade, light and warmth – discover all the ways you can personalise your awning in the showroom of your markilux specialist dealer and at [markilux.com](https://www.markilux.com)



#### markilux shadeplus

Blocks out glare from the sun and prying eyes in an instant.



#### An “all-round” achievement

The square, compact cassette, 125 × 125 mm, protects the awning cover all round.



reddot design award  
winner 2017

## Dependable. Anywhere. For anyone.

### markilux pergola compact

The pergola compact unites the graceful shape of the classic pergola with state-of-the-art product design and sophisticated technology. The compact, space-saving awning system on slender support posts is ideal for smaller patios. The lateral guide tracks with markilux tracfix always keep the cover taut. The markilux pergola compact invites you to lounge and take it easy. Attractive and functional solar protection. Anywhere. For anyone.



#### Pergola awning


maximum 450 × 400 cm

#### Options

coloured lighting (RGB-WW),  
LED-Line cassette / guide tracks,  
shadeplus (manual),  
wind protection / extra privacy,  
round / square posts,  
telescopic posts,  
ballast boxes

#### Always in the best light

Highlights with LED-Line (RGB-WW) in the cassette and on the guide tracks guarantee endless hours of pleasure outdoors – even long after the sun has set.



#### LED-Line (RGB-WW)

Light for reading or socialising, optionally under the guide tracks, controllable, dimmable. For pergola style/cubic/compact also available in the cassette.



#### Telescopic post

For better water drainage, the posts can be lowered between 20 and 40 cm. On request with a motor. Cannot be combined with lighting in the posts and footplate covers in the pergola style.



#### markilux sundrive

An integrated solar module can drive the shadeplus motor. When the awning is extended, the front profile and the guide tracks finish perfectly flush with one another.



#### Lateral wind protection / extra privacy

For protection from wind, weather and prying eyes, markilux offers you versatile textile solutions. We would be happy to advise you!



#### Square posts

As an alternative to round posts, square ones fulfil the desire for clean straight lines.



#### Ballast boxes

Give your markilux pergola reliable stability when securing the front posts in the foundations is not possible or desired.



#### Stainless steel crank

Bring the adjustable posts to the desired height in no time at all.



**markilux shadeplus**

The vertical protection against sun and prying eyes – up to 230 cm in height – creates a private room outdoors with its own special ambience.

For every requirement  
the right solution.  
With high-grade products.



Up to any challenge:  
[markilux.com](http://markilux.com)

markilux



Awning Systems

#### **Awning system**

maximum post separation up to 600 × 600 cm  
with two independently functioning awnings,  
as a 1-field unit up to 300 × 600 cm,  
overall height 260 cm,  
special dimensions possible

#### **Options**

coloured lighting (RGB-WW),  
LED-Line frame / gutter,  
LED-Spots gutter,  
vertical cassette blinds,  
wind protection / extra privacy,  
as well as a range of convenience and design options



#### **Versatile in both form and function**

As a stand-alone unit or integrated into the existing architecture,  
the markilux markant is compelling and makes a big impression  
in any situation.



#### **Your very own personal space in the open air**

With vertical cassette blinds, and protection against the wind and prying eyes on the markilux markant, you can create your own  
cosy space outdoors. You will find detailed information in your local markilux specialist dealer's showroom or at [markilux.com](https://www.markilux.com)

## Make the rain **take a detour.**

### markilux markant

Plan the use of the markilux markant free-standing awning roof system to meet your own personal solar protection requirements. The awning, integrated into the frame, lends the system a textile character, its fabrics making it possible to create the pleasant colour ambience you have in mind. The markilux markant offers protection, security, freedom, an outstanding appearance and comfort in a purist design.



### On request – that little bit more

Whether in combination with smart LED-lighting (RGB-WW) or by means of energy-efficient infrared heaters: the markilux markant ticks every box in creating a feel-good space in the open air.

#### **Awning system**

depending on the awning model up to 60 m<sup>2</sup>,  
as a coupled unit even larger areas are possible

#### **Arm technology**

depends on the awning model

#### **Options**

depends on the awning model  
coloured lighting (RGB-WW) and shadeplus,  
uno (only one awning / pergola),  
flex (with ballast boxes),  
round / square posts,  
footplate cover,  
coupled system



#### **markilux syncra flex**

The ballast boxes allow installation without  
concrete foundations on site.



**Detailed information is available from your markilux specialist dealer**

Whether for buildings that cannot have awnings attached for structural reasons, or for open-air seating areas – the markilux syncra stands for perfect, large-format solar protection.



**markilux syncra uno**

Two feet. One awning. No problem!  
The markilux syncra uno proves itself a  
stable base even with just one “wing”.



**markilux syncra pergola**

With the additional posts at the front and  
the tracfix lateral cover guidance system,  
this option offers particular advantages in  
terms of size and wind stability.

This will stand on its own  
two feet for you.

**markilux syncra**

Generous shading right where you need it. That is the promise  
made by the markilux syncra. And one it keeps. As a single unit,  
it will shade up to 60 m<sup>2</sup>; as a coupled awning even larger areas  
are no problem.

This free-standing awning stand system literally stands on its  
own two feet: two round or square posts and a massive cross-  
beam ensure reliable stability. Depending on the requirements,  
one or two folding arm awnings or markilux pergolas can be  
attached to it. This awning system is either firmly anchored to  
the ground (“fix”) or installed using ballast boxes (“flex”).

No matter which variant you choose, you can always count on  
the markilux syncra.

**Awning system**

depends on the awning model  
maximum 600/610 × 300 cm  
maximum 500/510 × 350 cm

**Arm technology**

depends on the awning model

**Options**

depends on the awning model  
coloured lighting (RGB-WW)  
and shadeplus,  
flex (335° pivoting),  
footplate cover

**flex option**

The markilux planet flex can be rotated and positioned wherever you need shading – by up to 335° with the Easy-Go lever.

**An awning parasol with designer awning of your choice**

Your markilux specialist dealers know exactly what they are doing. Allow yourself to be inspired by the broad range of options, your local sun specialist will take care of everything else.

## Always revolving around your requirements.

### markilux planet

The markilux planet is a parasol and awning in one. It's an eye-catcher that provides perfect shading for your room outdoors. This awning-cum-parasol protects you from solar radiation with exceptional reliability; it is extremely sturdy, yet versatile in its deployment. With the Easy-Go lever in the flex variant, you can simply rotate it by up to 335° – so you can have shade wherever it is required. The slim post carries the selected markilux designer awning with ease and the combination of functionality and design is impressive. The markilux planet is further proof that everything revolves around your requirements at markilux.



### markilux shadeplus


This versatile protection against low-lying sun, inquisitive glances and glare integrated into the front profile allows you to enjoy the late afternoon sun without having to worry about prying eyes.



# A side thought.



The nicer sides of life  
can be found at [markilux.com](http://markilux.com)



Wind Protection and Extra Privacy



**Modular. Convertible. Wonderful.**

Whether individually or grouped together – the markilux format is much more than just a blind. It is an appeal to sociability – in textile form.



**Decorates and protects your favorite place**

The robust, textile wind and privacy protection without visible connecting elements enhances your privacy many times over.



**Framed in. No limits. Versatile.**

The markilux clamp system keeps the cover under tension. Basic frame sections can be added in modular fashion.



## Life has a lot of nice sides to it. And now your home does, too.

### markilux format

Put up partitions to shield yourself from prying eyes – or create your own personal space in the open air with its own textile cosiness. markilux format puts a world of possibilities at your fingertips – with more than 200 fabric patterns to choose from.



**Wind protection and extra privacy**  
individual unit maximum 300 × 250 cm,  
can be extended as needed

**Options**  
triangular solutions  
for markilux awning systems,  
panoramic windows



### Integrated into an awning system

Vertical protection, perfectly tailored to markilux awning systems,  
on request possible with panoramic window.

# The elegant way to show your neighbours where privacy begins.

## markilux 790

There are few seating areas outdoors that are protected on all sides from sun, wind and prying eyes. Therefore, this slim markilux side screen simply makes your life on balcony or patio more comfortable and enticing. It can be extended in one smooth movement and is always by your side when you need it and feel like making use of its benefits.

### Side screen

Extension: maximum 450 cm

Height: 90 – 250 cm

### Options

sloping top edge to the cover,

mobifix (up to a height of 213 cm),

numerous fixture options



### Sloping top edge

The cover is available with a sloping top edge which can be cut to match the pitch of your markilux awning. It creates a beautiful, enclosed and protected area free from prying eyes and the glare of the sun.



mx\_790



**markilux mobilfix**

The movable support post with granite base plate stands secure, wherever you want it to.



**A broad range of fixture options**

markilux offers you a suitable fixture option for virtually every installation situation.



A clear overview.  
Opening up exciting prospects.

markilux



Reference installations



**Bootshaus KUL Gastro GmbH  
Mannheim | DE**

This restaurant terrace is a highlight whatever the weather. With the pergola stretch, the spacious terrace with a view of the river Neckar invites you to linger and celebrate.





Hamburg | DE  
Enjoy the most alluring shade in  
the world in all its diversity.





Weingut Strauss  
Gamlitz | AT  
Welcoming. Inviting. Free.  
More feel-good experience.  
More customers.  
More turnover.





#### Bad Zell | AT

Best prospects for next summer:  
a shady place beside a sunny pool.



#### Graz | AT

Stylish shading. Perfectly configured to suit both  
the architecture and the customer's requirements.



markilux



Sulz am Neckar | DE  
A place to live life to the full.  
For enjoying. For chatting.  
For relaxing.





Hotel Löwen Schruns GmbH  
Schruns | AT  
Beauty lies not in size,  
but in attention to detail.






**Ron Blaauws Gastro Bar**  
Amsterdam | NL

The outside redefined:  
an al fresco dining landscape  
with a lot of turnover potential.



Schäftlarn | DE  
Good prospects:  
garnering more space  
in a prime location.



markilux



**Het Badpaviljoen Domburg | NL**  
The sun smiles down on an awning.  
Life smiles on you under a markilux.




**Waddinxveen | NL**  
Relaxation as far as  
the eye can see.





Wals bei Salzburg | AT  
markilux planet: parasol and  
awning in one. That holiday feeling.  
Every day.





# Berggasthof Mitterberg

Zell am See | AT

More space and sunny prospects, too:  
both for your guests – and your turnover.





Küstenperle  
Büsum | DE  
Large-area shading with  
eye-catching advertising  
motifs on the covers.

markilux



**Wals bei Salzburg | AT**  
Time to be outdoors.  
All year round.



**Biel-Benken | CH**  
markilux markant: your very own  
personal space in the open air for  
relaxed outdoor living.





**Brokenwood Wines Pokolbin | AUS**  
The new dimension of hospitality.  
Turns visitors into regulars.



LandHotel Kolb  
Haus im Ennstal | AT  
The markilux syncra with  
four pergola awnings blends  
in perfectly with its natural  
surroundings.





**Lilienberg Entrepreneurial Forum Ermatingen | CH**  
The elegant markilux syncra as a coupled unit offers plenty of space for a large number of guests.


#### Willich | DE

The safe alternative if you are cooped up at home: enjoy a stylish atmosphere every day in your own garden.





Beauty lies not in size,  
but in attention to detail.




## Awning Covers, Colours, Operation and Technical Specifications




#### Self-cleaning effect

Water droplets pick up dirt particles and run off the awning cover taking dirt with them (the awning must be set at a pitch of at least 14°), ensuring you can enjoy your beautiful fabric for a long time to come.



#### Bonded awning covers

Panel joints bonded together ultrasonically ensure a consistent, unobtrusive appearance. Their excellent resistance to water, light and fluctuations in temperature ensures that the service life of the cover is extended substantially.



#### Light and weather resistance and resistance to fading

High-tech yarns dyed right to the core and the high-grade snc finish developed in house guarantee the most stunning shade in which to relax.



**STANDARD\***  
**100**  
A96-0071  
Hohenstein HTTI

\* sunvas, specials: A696-001 Hohenstein HTTI; sunbow: 63864 OETI

Detailed information about the typical properties of awning fabrics is available from your markilux specialist dealer and in the current markilux awning fabric brochure.



## The most beautiful fabric between heaven and earth.

### **Our unique covers help to create a special ambience**

The colour and quality of the awning fabric are what help make the ambience on your patio something special. Colour nuances, patterns and textures succeed in creating that uniquely special effect by virtue of their brightness and hue. As a leading manufacturer of high-grade awning fabrics with 50 years of experience in the manufacture of textiles, markilux offers an unparalleled variety. The markilux textile design team is constantly developing new patterns in line with the latest trends, which are nevertheless characterised by their timeless appeal. Among the more than 200 patterns in thematically coordinated colour families, you are bound to find your very own and most beautiful fabric between heaven and earth.




### **markilux collection one – One collection, endless ideas.**

Choose your own favourite pattern from a number of different colour families. When making your selection allow yourself to be inspired, enthused and advised by a markilux specialist dealer near you ...



Traffic white

RAL 9016



Off-white textured finish

5233




Metallic aluminium

RAL 9006




Stone grey metallic

5215




Anthracite metallic

5204



Grey brown

similar to RAL 8019



Havana brown textured finish


5229



RAL colour of your own choice


© RAL Borm 2026

**Additional awning colours** for pergola awnings and awning systems, glass canopy awnings and vertical blinds, wind protection and extra privacy




Grey aluminium

RAL 9007




Matt iron mica

DB 703



Anthracite grey textured finish

RAL 7016



Jet black textured finish

RAL 9005



## Sounds perfect. Tone in tone.

### **markilux awning colours**

The awning frame colour complements and enhances the colour of the fabric and creates a perfect link to the architectural surroundings. From a variety of shades of white through to the timelessly elegant anthracite, a broad range of colours is available to you. And if you want to create your own particular colour scheme? No problem! We will gladly manufacture your dream awning in your own personal shade.

Our high-grade powder coating finish is guaranteed for any awning colour you choose.

### **Matching every architectural style and customer demand**

All markilux awning colours are available without surcharge.

We would be happy to produce non-standard RAL colours on request.

## Make it easy on yourself. And comfortable.


### **markilux ease of operation**

Fulfils the highest expectations and can be used in any weather conditions. The choice is yours: manual operation, hard-wired motor or radio-controlled motor with remote control are all possible on most models. And if you wish, light, wind and rain sensors will control your markilux designer awning according to the prevailing weather conditions. Alternatively, you simply operate it at home yourself and this can even be done when you're out and about via your smartphone or tablet.

Your markilux specialist dealer is at your disposal should you have any queries and will provide you with details on how you can connect several individual units together and operate them with the touch of a button.

Availability depends on the model

### **Smart home**



### **Smart control via App/Home automation**

Arrange your own personal patio atmosphere by controlling the awning, the lighting, heating and in conjunction with your smartphone or tablet – whether you are relaxing on your patio or away from home.

## Automatic weather controls



### Light sensor

Intelligent control of your blind or awning according to the intensity of the sun's rays. Battery operated, so there is no need for a mains power supply.



### Light and wind sensor

According to the prevailing weather conditions, this intelligent control system will extend and retract your awning automatically.



### Rain sensor

The awning retracts automatically in the case of precipitation. This intelligent control mechanism protects the cover on your awning.



### markilux vibrabox

Intelligent, sensitive and independent of the mains. Inertia sensor which reacts to the level of vibration caused by the wind and prompts a motor-driven awning to retract if the predetermined wind speed is exceeded.

## Hard-wired motor / Radio-controlled motor



### markilux remote control

Comfort can be so easy. Awning, shadeplus, light and warmth at the touch of a button.

## Pergola Awnings

### markilux pergola stretch

Page 10



### markilux pergola style

Page 12




### markilux pergola classic

Page 16



### markilux pergola cubic

Page 18



### markilux pergola compact

Page 20




|                               |                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                          |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Max. width × extension</b> | <b>700 × 700 cm</b>                                                                                                                                                                                                                                                                                 | <b>600 × 500 cm</b>                                                                                                                                                                                                                                                                                                                   | <b>600 × 450 cm</b>                                                                                                                                                                                                                                                                            | <b>600 × 450 cm</b>                                                                                                                                                                                                                                                                                       | <b>450 × 400 cm</b>                                                                                                                                                                                                                                                                      |
| optional                      |                                                                                                                                                                                                                                                                                                     | 500 × 600 cm                                                                                                                                                                                                                                                                                                                          | 500 × 600 cm                                                                                                                                                                                                                                                                                   | 500 × 600 cm                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                          |
| <b>Cassette</b>               | <b>163 × 125 mm</b>                                                                                                                                                                                                                                                                                 | <b>205 × 160 mm</b>                                                                                                                                                                                                                                                                                                                   | <b>Ø 187 mm</b>                                                                                                                                                                                                                                                                                | <b>200 × 160 mm</b>                                                                                                                                                                                                                                                                                       | <b>125 × 125 mm</b>                                                                                                                                                                                                                                                                      |
|                               | cover folds away with track-guided supporting profiles                                                                                                                                                                                                                                              | tracfix cover guidance with lateral guide tracks supported by slim posts                                                                                                                                                                                                                                                              | tracfix cover guidance with lateral guide tracks supported by slim posts                                                                                                                                                                                                                       | tracfix cover guidance with lateral guide tracks supported by slim posts                                                                                                                                                                                                                                  | tracfix cover guidance with lateral guide tracks supported by slim posts                                                                                                                                                                                                                 |
| <b>Operation</b>              | <b>radio-controlled motor</b>                                                                                                                                                                                                                                                                       | <b>radio-controlled motor</b>                                                                                                                                                                                                                                                                                                         | <b>hard-wired motor</b>                                                                                                                                                                                                                                                                        | <b>hard-wired motor</b>                                                                                                                                                                                                                                                                                   | <b>hard-wired motor</b>                                                                                                                                                                                                                                                                  |
| optional                      | ➤ smart home                                                                                                                                                                                                                                                                                        | ➤ hard-wired motor<br>➤ smart home                                                                                                                                                                                                                                                                                                    | ➤ radio-controlled motor<br>➤ smart home                                                                                                                                                                                                                                                       | ➤ radio-controlled motor<br>➤ smart home                                                                                                                                                                                                                                                                  | ➤ radio-controlled motor<br>➤ smart home                                                                                                                                                                                                                                                 |
| <b>Fixture</b>                | <b>face / top / eaves</b>                                                                                                                                                                                                                                                                           | <b>face / top / eaves</b>                                                                                                                                                                                                                                                                                                             | <b>face / top / eaves</b>                                                                                                                                                                                                                                                                      | <b>face / top / eaves</b>                                                                                                                                                                                                                                                                                 | <b>face / top / eaves</b>                                                                                                                                                                                                                                                                |
| optional                      | ➤ incl. wall sealing profile and system coverboard                                                                                                                                                                                                                                                  | ➤ wall sealing profile                                                                                                                                                                                                                                                                                                                | ➤ wall sealing profile                                                                                                                                                                                                                                                                         | ➤ wall sealing profile                                                                                                                                                                                                                                                                                    | ➤ wall sealing profile                                                                                                                                                                                                                                                                   |
| <b>Options</b>                | <ul style="list-style-type: none"> <li>➤ coloured lighting (RGB-WW)</li> <li>➤ LED-Line cover support profiles</li> <li>➤ LED-Line / LED-Spots cross-beam</li> <li>➤ vertical cassette blinds</li> <li>➤ wind protection / extra privacy</li> <li>➤ cross-beam</li> <li>➤ coupled awning</li> </ul> | <ul style="list-style-type: none"> <li>➤ coloured lighting (RGB-WW)</li> <li>➤ LED-Line posts / cassette / guide tracks</li> <li>➤ LED-Line / LED-Uplights footplate covers</li> <li>➤ shadeplus</li> <li>➤ wind protection / extra privacy</li> <li>➤ telescopic posts</li> <li>➤ ballast boxes</li> <li>➤ coupled awning</li> </ul> | <ul style="list-style-type: none"> <li>➤ coloured lighting (RGB-WW)</li> <li>➤ LED-Line guide tracks</li> <li>➤ shadeplus</li> <li>➤ wind protection / extra privacy</li> <li>➤ round / square posts</li> <li>➤ telescopic posts</li> <li>➤ ballast boxes</li> <li>➤ coupled awning</li> </ul> | <ul style="list-style-type: none"> <li>➤ coloured lighting (RGB-WW)</li> <li>➤ LED-Line cassette / guide tracks</li> <li>➤ shadeplus</li> <li>➤ wind protection / extra privacy</li> <li>➤ round / square posts</li> <li>➤ telescopic posts</li> <li>➤ ballast boxes</li> <li>➤ coupled awning</li> </ul> | <ul style="list-style-type: none"> <li>➤ coloured lighting (RGB-WW)</li> <li>➤ LED-Line cassette / guide tracks</li> <li>➤ shadeplus (manual)</li> <li>➤ wind protection / extra privacy</li> <li>➤ round / square posts</li> <li>➤ telescopic posts</li> <li>➤ ballast boxes</li> </ul> |



Allow yourself to be inspired, enthused, advised...  
Every option can be found in the showroom of a markilux specialist dealer near you or at [markilux.com](https://www.markilux.com)

## Awning Configurator



### Create the most alluring shade in the world

Configure your markilux designer awning including cover and optional accessories at [markilux.com](https://www.markilux.com)

Your markilux specialist dealer will advise you personally on site, will draw up an offer tailored to your requirements and install the product professionally.



The awning configurator  
at [markilux.com](https://www.markilux.com)



Find a store  
at [markilux.com](https://www.markilux.com)

## Awning Systems

### markilux markant

Page 26



### markilux syncra

Page 28



### markilux planet

Page 30



|                               |                                                                                                                                                    |                                                                                                                                                                         |                                                                                                                                  |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Max. width × extension</b> | <b>600 × 600 cm (2 fields)</b><br>optional 300 × 600 cm (1 field)                                                                                  | <b>up to 60 m²</b><br>depends on the awning model                                                                                                                       | <b>600 / 610 × 300 cm</b><br>500 / 510 × 350 cm                                                                                  |
| <b>Cassette</b>               | <b>textile weather protection</b><br>on support posts with integrated designer awning                                                              | <b>awning frame system</b><br>with two posts and one or two folding-arm or pergola designer awnings of your choice                                                      | <b>awning-cum-parasol</b><br>with folding-arm designer awning of your choice                                                     |
| <b>Operation</b>              | <b>radio-controlled motor</b><br>optional ▶ smart home                                                                                             | <b>depends on the awning model</b>                                                                                                                                      | <b>depends on the awning model</b>                                                                                               |
| <b>Fixture</b>                | <b>free-standing</b><br>on concrete foundations or attached to a wall                                                                              | <b>free-standing</b><br>on concrete foundations or with ballast boxes                                                                                                   | <b>free-standing</b><br>on concrete foundations                                                                                  |
| <b>Options</b>                | ▶ coloured lighting (RGB-WW)<br>▶ LED-line frame / gutter<br>▶ LED-Spots gutter<br>▶ vertical cassette blinds<br>▶ wind protection / extra privacy | <b>depends on the awning model</b><br>▶ coloured lighting (RGB-WW)<br>▶ shadeplus<br>▶ uno<br>▶ flex<br>▶ round / square posts<br>▶ footplate cover<br>▶ coupled system | <b>depends on the awning model</b><br>▶ coloured lighting (RGB-WW)<br>▶ shadeplus<br>▶ flex (335° pivoting)<br>▶ footplate cover |

## Wind Protection and Extra Privacy

### markilux format

Page 34



### markilux 790

Page 36



|                                                                                                |                                                                                            |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| <b>300 × 250 cm</b><br>modularly extendable                                                    | <b>extension: max. 450 cm</b><br>height: 90 – 250 cm                                       |
| <b>Wind protection / extra privacy</b><br>panel element with aluminium frame and textile cover | <b>Side screen</b><br>lateral protection against low-lying sun, wind and unwelcome glances |
| —                                                                                              | <b>manual operation</b>                                                                    |
| <b>on concrete foundations</b><br>or integrated into an awning system                          | <b>face / reveal</b>                                                                       |
| ▶ triangular solutions<br>▶ panorama windows                                                   | ▶ sloping top edge to the cover<br>▶ mobilfix<br>▶ numerous fixture options                |

markilux



Magical worlds full of atmosphere  
Outdoor living in a new light. And colour.  
Explore your options now at [markilux.com](https://markilux.com)

**The best under the sun. Create the most alluring shade in the world.**

Innovative technology and the pinnacle of quality: markilux solar protection solutions have received both acclaim and multiple awards. Made in Germany. Ideas, detailed information, professional advice and all the exquisite markilux awning fabric patterns can be found in your specialist dealer's showroom and at [markilux.com](https://www.markilux.com)



Folding-arm awnings



Pergola awnings



Awning systems



Glass canopy awnings



Blinds and awnings for windows



Wind protection / extra privacy



[markilux.com](https://www.markilux.com)



**markilux**

The best under the sun